All amounts are calculated in domestic currency.

Purchase Order Receipt Listing

Friday, March 21, 2014 7:46:54 AM

All Vendors PO ID PO23252 Receipt Dates from 3/21/2014 to 3/21/2014 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt	\$409.82		\$949.45			24.0000	0.0000	0.0000	\$1,359.27
MRB Qty/ MRB Reject Qty	0	0	0	0		uantity:) U/M):	uantity:	Value:
Inspected Qty/ Rejected Qty (PO U/M)	0.0000	0.0000	0.0000	0.0000		Total Received Quantity:	Total Qty to Inspect (PO U/M):	Total Reject Quantity:	Total Receipt Value:
Cost Per Unit/ Recv Value	\$34.15	\$409.82	\$79.12	\$949.45			Total		
Recv Qty (PO U/M)	13		12.0000						
Recv Date/ Recv Emp	3/24/2014 3/21/2014	DESJ02	3/24/2014 3/21/2014	DESJ02					
Required Date Required Qty	3/24/2014	12.0000	3/24/2014	12.0000					
PO U/M / Stock U/M	taux Castle	x (2.250 f	J (
Project ID Reference/ Description/ Cert Std	VC-MET001 Metaux Castle M174B0.500X02.000-f	17-4 SS Bar .500 x 2.00 m128572	M174B1.500X02.250 f	17-4 SS Bar 1.50 X2.250	m128572				
Line Proj Nbr/ Insp Req	r Name	°N	2	No No					
Purchase Order ID/ Curr Type	VendorID\Vendor Name PO23252 1	CAD							

0.0000

Total Balance Due Quantity:



A. M. Castle & Co.

Page 1 of 2

No de Formulaire d'Emballage / Shipment No:2089786

Expédié de / Ship From:		Vendu à / Sold To:	Expédié à / Shin To:	l ivrá à / Deliver To:
A M Castle & Co (Canada)	3)	DART AFROSPACE I TD	DART AFROSPACE I TO	DADT AEDOCOACE TO
0 :00 5 0:000	_		מוז זכה ונסוויה וויכם	מוז שטארטטחאר ו האט
Inc.	1270 AB	1270 ABERDEEN	1270 ABERDEEN	1270 ABERDEEN
MONTREAL - CASTLE		HAWKESBURY, ON K6A 1K7	HAWKESBURY, ON K6A	HAWKESBURY ON
METALS	CA		1K7 CAN	K6A 1K7
835-SELKIRK AVENUE				CA
POINTE CLAIRE, QUEBEC	EBEC			
H9R 3S2				
Date d'expédition	F.O.B.	Modalités de transport /	/ Transporteur / Carrier	No du Bon de connaissement
/ Date Shipped		Freight Terms		/ BOL No
19-MAR-2014	ORIGIN	Prepaid	MANITOULIN	2089786-2

Destination finale / Final Destination Branch - MON

Détails d'expédition / Shipment Details

Order No Line No	N° de ligne Line No	N° d'article / Item No	Description	
3260500	2	9199.BO	1.5000.2.2500.FLAT.17CR-4NI.STAINLESS.HR.ANN.PICKLE.132.00	NANN.PICKLE.132.00
		152/2/82	00-156.0000	
(2)		200	SPECIFICATIONS: AMS 5643	
			ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST	SUSTOMER MUST
			RECEIVE AT TIME OF DELIVERY	
			ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT	ARKINGS EX:HEAT
			#S	
			FORWARD COPY OF P/S TO TRACY (MONTREAL)	REAL)
			Email P/s and certs to: clavoie@dartaero.com	
N° de bon de commande /	-	N ^{bre} de pièces /	Qté commandée / Ordered Qty Qté Facturée /	urée /
Purchase Order No		Part Number	Invoice Qty	2tv
23252			137.70 LBS 12.0000 FT	FT
Détails / Details	AMS 5643			
<u> </u>	ALL PAPERWO	JRK MUST FOLLOW ORDER	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY	II IVEBY
	ALL MATERIA	ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S	MARKINGS EX:HEAT #'S	
	FORWARD CC	FORWARD COPY OF P/S TO TRACY (MONTREAL)	ITREAL)	
	Email P/s and certs to: clav	ents to: clavoie@dartaero.com		
			G	フーイータ

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited. Date Printed: 19-MAR-2014 01:08:10 PM



A. M. Castle & Co.

Page 2 of 2

N° de	Usine / Mill	No de coulée /	Code méc	Pièce	Code méc Pièce Largeur (Pouce)/	Longueur (Pouce)/ Oté expédiée/	Oté expédiée/
livraison /		Heat Number	/ Mech Id	s/	Width (IN)	Length (IN)	Shipped Otv(LBS)
Delivery No:		(PCS	•		
119565552		A12636)		1.0		144 0000	133 0000
-		1				0000:	00000
Les marchandises/lechnolog	des marchandises/rechnologies sont sujettes aux réglements de l'Expor	L Administration	du département d'état d	es Etats-Unis. S	i elles ont été/sont exportées, elles doive	l et du département d'état des États-Unis. Si elles ont été/sont exportées, elles doivent se conformer à ces réplements. Toute modification du contrat de transmisse	properties of the section of a city deliberation

contraire aux lois des États-Unis est interdite.

I hese commodifies/fechnologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited. Nous certification taisant parties of the control of the
Nous certifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel, y compris toute sepécification faisant partie de la description. Les rapports d'essai sont activitée de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 80 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le client re peut être retourné pour crédit. We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material covered by this certification conforms and the above specifications and has been found to meet the applicable requirements for the material and so part of the description. To credit. To credit. Date: Date: Date: Date: Name: N
essai sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le Vient ne peut être retourné pour crédit. Velent ne peut être retourné pour crédit. Velent peut être retourné pour crédit. Test reports are on file subject to examination. All claims for défective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned Ce matériel a été reçu et inspecdé par Reviewed by Authorized Castle Metals Representative:
client ne peut être retourné pour crédit. Yet hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material covered by this certifications forming a part of the description. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit. Ce matériel a été reçu et inspecdé par Reviewed by Authorized Castle Metals Representative:
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned to credit. Ce material a été reçu et inspecté par Paviewed by Authorized Castle Metals Representative: Date:
Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned Ce materials at five contents or materials. Date: Name:
for credit. Ce malériel a été reçu et inspecté par Paviewed by Authorized Castle Melais Representative: Date: Name:
Representative: Date:
Representative:

icate of Test

Cert Date: 01/09/14



575 STATE FAIR BLVD.

P5-14201-3-01 CIL ORDER NO.

A12636 HEAT NO

216020

CUSTOMER PART NO.

SANTA FE SPRINGS, CA 90670 13359 MOLETTE ST **FRY STEEL COMPANY**

47725-5/516020

CUSTOMER P.O.

SOLVAY, NY USA SHIPPED FROM

QUANTITY SHIPPED 2097 LBS, 1 BDL

DESCRIPTION OF MATERIAL

TALT 2.250 X 1.500)

(EX HRDS+UT) ASTM-A564-13 TYPE

CHEMICAL ANALYSIS

04.31 I5.40 OW

LS.

070° ď

DZ0. b9' NW

HYBDNESS

I HK. AIRCOOL: HEAT CAPABILITY AFTER 900 DEG. F.

BHN 412

& ETONC4D

RED/AREA% 3.53

LENZIFE BZI

HYKDNESS

LONGITUDINAL

MICKO

MATERIAL SOLUTION TREATED AT 1900 DEG. F. HELD 30 MINUTES AT TEMPERATURE - AIRCOOLED

6.EI

APPLICABLE LAWS AND REGULATIONS OF THE UNITED STATES.

0.030/0.030 WYCNYEINX E/S

183,640

OHIP BANDOVAL - O.C. MANACER

JAN I 3 2014

HECEIVED AND INSPECTED REPORT NOW ON FILE A TRUE COPY OF 1'HE ORIGINAL MILL TEST FRY STEEL CO. CERTIFIES THAT THIS IS

FERRITE

ACCEPTABLE

XID. 2% PSI

ACCEPTABLE

AS SHIPPED MATERIAL CONDITION

MACRO

8 5>

208,880

HEAT CHARACTERISTICS

BHN 360/363

AS SHIPPED PROPERTIES

3.21 07. 982.

LTO.

0

600. A'T' CB

A TAA9 II DER GEC 11 PART A TYPE 630

SISE

TEPOZ-SMA

ASTM-A484-13A AMS-2303F CAPABLE OF MB0160-003 CRU 17CR 4N PP HD HR PKLD SOL TRTD S#16020

NAMNIH :

CIT INSIDE SALES REP.

SANTA FE SPRINGS, CA 90670

13359 WOLETTE ST

FRY STEEL COMPANY SOLVAY, NY 13209

THE ABOVE MATERIAL WAS MANUFACTURED AND TESTED ACCORDANCE WITH ABOVE FRAUDULENT STATEMENTS ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES, INCLUDING FEDERAL LAW, TITLE 18, CHADER THE STATUTES, INCLUDING FEDERAL LAW, TITLE 18, CHAPTER AT PRODUCTS, TECHNICAL DATA, TECHNICACY, AND SERVICES OF CRUCIBLE INDUSTRIES LLC ARE SUBJECT TO U.S. EXPORT CONTROLS UNDER THE

CAUCIBLE INDUSTRIES LL SPECIFICATIONS AND IS IN CONFORMANCE WITH THE SPECIFICATION REQUIREMENTS.

CERTIFIED BY

COMPLIANCE WITH INDUSTRY STANDARDS ASTM A370, E8, E10, E18, E33, E45, E112, E604, E572, E1019, AND E1086. THE RECORDING OF FALSE, FICTITIOUS OR 10204 2004 3 1, AND DEARS SES SES, 7001, 7002, 7009, 7009 MATERIAL IS OF NAFTA ORIGIN, MATERIAL TESTING IS PERFORMED ON A PROLONGATION OF THE BAR, IN AND WORKS UNDER THE GUIDELINES OF NCA 3800 USING OP MANUAL DATED BATS/13, WE ARE COMPLIANT WITH EU DIRECTIVE 2002/95/EC (ROHS), REACH, EN INDUSTRIES LLC HOLDS A CERTIFICATE OF REGISTRATION TO ISO 9001: 2008, PRESSURE EQUIPMENT DIRECTIVE (PED) 97/23/EC: 7/2 ANNEX 1, PARAGRAPH 4.3 WE PROVIDE MATERIAL THAT IS FREE FROM MERCURY CONTAMINATION AND RADIATION AT THE TIME OF SHIPMENT, NO WELD REPAIR IS DONE. CRUCIBLE THANK YOU FOR SELECTING A QUALITY PRODUCT MELTED AND MANUFACTURED WITH PRIDE AT CRUCIBLE INDUSTRIES LLC LOCATED IN SOLVAY, NY 13209, USA

MACTERIAL RECEIPT INSPECTION FORM

	SHEET SIZE RECEIVED:		SHEET SIZE:
25.8×25.1	THICKNESS RECEIVED:	SECX451	THICKNESS ORDERED:
610	QUANTITY RECEIVED:	27	QUANTITY ORDERED:
lob	MATERIAL CERT RECEIVED	23352	#0/d
		20/E0/h1	: <u>ETAQ</u>
		anos	RECEIVED BY:
	57	EXQS' 1 h+1H	- <u>HAIRATEMIAL:</u>

	(A)	٨	DOES THIS REQUIRE AN TROGION REPORT
	(3)	٨	DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF
2658214	N	W	CORRECT M# ON THE MATERIAL
1E7C/7	N	D	CORRECT MATERIAL IDENTFICATION
CSEE	N	W	CORRECT REF # TO LINK CERT
	N	A	CORRECT MATERIAL
	W	人	PHOTO REQUIRED
	Ŵ	Т	INCORRECT THICKNESS
	N	人	INCORRECT MATERIAL
	W	人	INCORRECT GRAIN DIRECTION
	(N)	Т	СОННОВІОИ
	W	Т	INCORRECT FINISH
A STATE OF THE STA	(N)	人	SURFACE DAMAGE
COMMENTS	эск	1/X (CP)	DESCRIPTION

				TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS \ DUROMETER READING
a ana	A AUG	HBB	HBC	
		S BELOW	HD RESULT	BECC
HECK.	AARDNESS C	A MROTER	HONA JAIRE	CUT SAMPLE PIECE OF MAT

testers located in the Quality Office

:3TAQ	10/21/11	: ETAG
BA:	X.O	INSPECTED BY:
ENGINEERING SIGNOFF (if required)		QC 18 INSPECTION

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



A. M. Castle & Co.

Page 1 of 2

No de Formulaire d'Emballage / Shipment No:2089786

				•
Expédié de / Ship From:	om: Vendu à / Sold	a / Sold To:	Expédié à / Ship To:	Livré à / Deliver To:
A. M. Castle & Co. (Canada)		DART AEROSPACE LTD	DART AEROSPACE LTD	DART AEROSPACE LTD
Inc.	1270 AB	1270 ABERDEEN	1270 ABERDEEN	1270 ABERDEEN
MONTREAL - CASTLE		HAWKESBURY, ON K6A 1K7	HAWKESBURY, ON K6A	HAWKESBURY, ON
METALS	CA	5	1K7 CAN	K6A 1K7
835-SELKIRK AVENUE	_ _ _			CA
POINTE CLAIRE, QUEBEC	JEBEC			
H9R 3S2				
Date d'expédition	F.O.B.	Modalités de transport	Modalités de transport / Transporteur / Carrier	No du Bon de connaissement
/ Date Shipped		Freight Terms		/ BOL No
19-MAR-2014	ORIGIN	Prepaid	MANITOULIN	2089786-2

Destination finale / Final Destination Branch - MON

Détails d'expédition / Shipment Details

N° de commande / N° de ligne	N° de ligne	N° d'article / Item No	Description	
Order No	Line No			
3260500	1	9058.BO	Q.5000.2.0000.FLAT.17CR-4NI.STAINLESS.HR.ANN.PICKLE.132.00	JLESS.HR.ANN.PICKLE.132.00
			00-156.0000	
		>	SPECIFICATIONS: AMS(5643)	
			ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST	DRDER / CUSTOMER MUST
		(A/21/2)	RECEIVE AT TIME OF DELIVERY	
			ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT	FYING MARKINGS EX:HEAT
			S;#	
			FORWARD COPY OF P/S TO TRACY (MONTREAL)	Y (MONTREAL)
			Email P/s and certs to: clavoie@dartaero.com	aero.com
N° de bon de commande /		N ^{bre} de pièces /	Oté commandée / Ordered Oty	Qté Facturée /
Purchase Order No		Part Number		Invoice Qty
23252			43.32 LBS	12.0000 FT
Détails / Détails	AMS 5643			
	ALL PAPERW	ORK MUST FOLLOW ORDER	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY	ME OF DELIVERY
	ALL MATERIA	ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S	MARKINGS EX:HEAT #'S	
	FORWARD COPY OF P/S	OPY OF P/S TO TRACY (MONTREAL)	TREAL)	
	Email P/s and	Email P/s and certs to: clavoie@dartaero.com		14-3-20
))) -

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited. Date Printed: 19-MAR-2014 01:08:10 PM



A. M. Castle & Co.

Page 2 of 2

Contract to the second							
N° de	Usine / Mill	No de coulée /	Code méc Pièce	Pièce	Largeur (Pouce)/	Longueur (Pouce)/ Qté expédiée/	Qté expédiée/
livraison /		Heat Number	/ Mech Id	/ s	Width (IN)	Length (IN)	Shipped Qty(LBS)
Delivery No:		1		PCS			
119565552)	A12466		1.0		144.0000	43.0000

Ces marchandises/hechnologies sont sujettes aux réglements de l'Export Administration et du département d'état des États-Unis. Si elles ont été/sont exportées, elles doivent se conformer à ces règlements. Toute modification du contrat de transport contraire aux lois des États-Unis est interdifie.

Ce matériel a été reçu et inspecté par Reviewed by Authorized Castle Metals Representative:

These commodities/lechnologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

Nous certifions par la présente que le matériel couvert par cettle certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel couvert par cettle couvert par cettle conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel couvert par cettle concernant du matériel défectueux sera rejetée à moins qu'elle ne soit faite par écrit à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupe par le client ne peut être retourné pour crédit.

Te peut être retourné pour crédit.

Te peut être retournée pour crédit.

Te peut ètre couper par le matérial conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material conforms forming a part of the description.

Test reports are on file subject to examination. All claims for defective material are walved unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material out by the customer cannot be returned for credit.





Certificate of Test

Cert Date: 10/30/13

FRY STEEL COMPANY 13325 MOLETTE ST SANTA FE SPRINGS, CA 90670 T

FRY STEEL COMPANY 13325 MOLETTE ST SANTA FE SPRINGS, CA 90670



CIL ORDER NO. P5-12591-3-01

> HEAT NO. A12466

CIL INSIDE SALES REP.

LHINMAN

SHIPPED FROM SOLVAY, NY USA

0

CUSTOMER P.O.

47579-3/S15050

CUSTOMER PART NO.

S15050

QUANTITY SHIPPED 1826 LBS, 1 BDL

DESCRIPTION OF MATERIAL

SIZE

CRU 17CR 4NI HR P SOL TRTD

2.000 X .500 FLAT AMS-2303-F (AMS-5643-R) ASME SA-564-11A TYPE 630 ASTM-A484-12 ASTM-A564-10 TYPE 630

CAPABLE OF MBO 160-003-C (EX HDNS+UT)

CHEMICAL ANALYSIS

CB TA C NI CR MO CU MN P S SI .62 .025 .020 .55 4.31 15.12 .25 3.19 .293 .010 .047

FRY STEEL CO. CERTIFIES THAT THIS IS A TRUE COPY OF THE ORIGINA_ MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED

NOV 04 2013

AS SHIPPED PROPERTIES

HARDNESS BHN 350

HARDNESS

BHN 429

HEAT CHARACTERISTICS

1 HR. AIRCOOL: HEAT CAPABILITY AFTER 900 DEG. F.

> TENSILE PSI 214,390

> YLD. 2% PSI 186,290

MICRO ACCEPTABLE

MAGNAFLUX F/S 0/0

FERRITE 18

MACRO

ACCEPTABLE

BIJE BANDOVAL - Q.O. MANAGER

% ELONG4D 14 RED/AREA% 40.6

AS SHIPPED MATERIAL CONDITION

MATERIAL SOLUTION TREATED AT 1900 DEG. F. HELD 30 MINUTES AT TEMPERATURE - AIRCOOLED

THANK YOU FOR SELECTING A QUALITY PRODUCT MELTED AND MANUFACTURED WITH PRIDE AT CRUCIBLE INDUSTRIES LLC LOCATED IN SOLVAY, NY 13209, USA. WE PROVIDE MATERIAL THAT IS FREE FROM MERCURY CONTAMINATION AND RADIATION AT THE TIME OF SHIPMENT. NO WELD REPAIR IS DONE. CRUCIBLE INDUSTRIES LLC HOLDS A CERTIFICATE OF REGISTRATION TO ISO 9001:2008, PRESSURE EQUIPMENT DIRECTIVE (PED) 97/23/EC 7/2 ANNEX 1, PARAGRAPH 4.3 AND WORKS UNDER THE GUIDELINES OF NCA 3800 USING OP MANUAL DATED 8/15/13. WE ARE COMPLIANT WITH EU DIRECTIVE 2002/95/EC (ROHS), REACH, EN 10204 2004 3.1, AND DEARS 252.225.7001,7002,7008,7009 MATERIAL IS OF NAFTA ORIGIN. MATERIAL TESTING IS PERFORMED ON A PROLONGATION OF THE BAR IN COMPLIANCE WITH INDUSTRY STANDARDS ASTM A370,E8,E10, E18,E23,E45,E112,E381,E604,E572,E1019,ANDE1086. THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES, INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47. PRODUCTS, TECHNICAL DATA, TECHNOLOGY, AND SERVICES OF CRUCIBLE INDUSTRIES LLC ARE SUBJECT TO U.S. EXPORT CONTROLS UNDER THE APPLICABLE LAWS AND REGULATIONS OF THE UNITED STATES.

> THE ABOVE MATERIAL WAS MANUFACTURED AND TESTED ACCORDANCE WITH ABOVE SPECIFICATIONS AND IS INCONFORMANCE WITH THE SPECIFICATION REQUIREMENTS.

CERTIFIED BY

CRUCIBLE INDUSTRIES LL

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MIZ-4	1 . 5	On	(2.Dh	
RECEIVED BY:	1	I'A		
DATE:	4/0	3/	20	
P/O# 2	3	25	MATERIAL CERT RECEIVED	
QUANTITY ORDERED:		2	QUANTITY RECEIVED: 13	_
				_
THICKNESS ORDERED: ,500 X 2.00			$\frac{1}{2}$	
SHEET SIZE:			SHEET SIZE RECEIVED:	
	N	CR		-
DESCRIPTION		eck	COMMENTS	
	*	N)	oommen o	
SURFACE DAMAGE	Υ	N		
INCORRECT FINISH	Y	N		_
CORROSION	Υ	(1)		_
INCORRECT GRAIN DIRECTION	Y	00	,	_
INCORRECT MATERIAL	Y	N		_
INCORRECT THICKNESS	Υ	N		_
PHOTO REQUIRED	Υ	W		_
CORRECT MATERIAL	(4)	N	23252	_
CORRECT REF # TO LINK CERT	8	N	A12466	
RRECT MATERIAL IDENTFICATION	(V)	N	14128572	
CORRECT M# ON THE MATERIAL		Ν		
DOES THIS MATERIAL REQUIRE				_

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW						
TYPE OF MATERIAL SIZE OF TEST SAMPLE	HRC	HRB	DUR A	DUR D		
HARDNESS / DUROMETER READING						

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY:	and,	BY:
DATE:	14/03/21	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

ENGINEERING SIGN OFF DOES THIS REQUIRE AN EXTRUSION REPORT



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

OUTSTANDING PO REPRINT

Purchase Order ID PO23252

Purchase Order Date 3/6/2014 PO Print Date 3/21/2014

Page Number 1 of 2

Order From:

VC-MET001

METAUX CASTLE

A.M. CASTLE & CO. (CANADA) INC. - C/O 910720

P.O. BOX 4090 STN A TORONTO, ON M5W OE9

CA

Ship To: DART AEROSPACE LTD

Chantal Lavoie

FCA - (Free Carrier)

10127-2607

Net 30

CAD

12.00

1270

ABERD

EEN

HAWKE

SBURY,

ON

K6A 1K7

CANAD

A

Buyer

Terms

FOB

Currency

Customer POID

Customer Tax #

Contact Name

Vendor Phone

514 694 9575

Ship To Contact

Ship To Phone

Ship Acct

514 695 3281

Vendor Fax

VENDOR'S TRUCK

Ship Method

Line Nbr	Item ID Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable	Req Qty	Extended Price
1	M174B0.500X02.000	17-4 SS Bar .500 x 2.00	3/24/2014 Yes	12.00	\$453.84
	C	20	3/24/2014		
		LE STRENGTH = 100KSI			

M174B1.500X02.250

17-4 SS Bar 1.50 X2.250

3/24/2014

Yes

3/24/2014

Line Total:

\$453.84

\$1,051.44

MATERIAL: 17-4 PH SS BAR AS PER AMS 5604 / 5643 GRAIN DIRECTION MUST BE ALONG LENGTH MINIMUM YIELD TENSILE STRENGTH = 100KSI MINIMUM ULTIMATE TENSILE = 150 KSI

RP14-3-20



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

OUTSTANDING PO REPRINT

Purchase Order ID PO23252

Purchase Order Date 3/6/2014 PO Print Date 3/21/2014

Page Number 2 of 2

Order From:

VC-MET001

METAUX CASTLE

A.M. CASTLE & CO. (CANADA) INC. - C/O 910720

P.O. BOX 4090 STN A

TORONTO, ON M5W OE9

CA

Ship To: DART AEROSPACE LTD

Chantal Lavoie

FCA - (Free Carrier)

10127-2607

Net 30

CAD

1270

ABERD

EEN

HAWKE

SBURY,

ON

K6A 1K7

CANAD

A

Buyer

Terms

FOB

Currency

Customer POID

Customer Tax #

Contact Name

Vendor Phone

514 694 9575

Vendor Fax

514 695 3281

Ship To Contact

Ship To Phone

VENDOR'S TRUCK

Ship Method Ship Acct

Line

Nbr

Item ID

Vendor Part Number

Line Comments Delivery Comments Mfg ID

Description/

Req Date/ Taxable Req Qty

Extended Price

Line Total:

\$1,051.44

71401-45

PROCUREMENT QUALITY CLAUSES 3/24/2014

No

0.00

\$0.00

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026certification of materila conformance

A041 quality management system

A042 dart notification by supplier A043 retention of quality documents 3/24/2014

Line Total:

\$0.00

Outstanding PO Total:

\$1,505.28

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an

integral part of our AS9100

Change Nbr:

1

Change Date: 3/6/2014